




Product Model Number

CKO-CS17-045021-1305

✓ Model Number Definitions

CKO-XXXX-XXXXXX-XXXX




- A. Chun Kuang Optics Corp. Product
- B. Product Type: product abbreviation
Ex:
CH→CoB High Intensity
CC→CoB Compact
SA→Soft Shading for CoB LED - Asymmetry
HC→Holder for CoB LED

- C. Identity Code
- D. Lens / Fixture Size
Ex: 075026=Φ75mm / Thickness=26mm (round up)
- E. Serial Numbers

The lens datasheet is applicable for **Luminus LED**, that manufactured by Chun Kuang Optics Corp.

✓ Dimensions (mm) : Φ45 x 20.9




▽:Critical Dimension




Optical Characteristics

Model Number	CKO-CS17-045021-1305		<p>"H" definition</p> <p>LES CoB</p>
LED	CXM-3-AC40		
LES / LED Size	Φ 3.5 mm		
FWHM (D50)	25°		
Field Angle (D10)	53°		
H (distance)	2.5mm		
Dimension	Φ =45 mm, Thickness=20.9 mm		
Luminous Flux	295 lm	Measured @ 2.7 W	
Material	PC / UL94V2		

cd/klm



Illuminance At Distances







Optical Characteristics

Model Number	CKO-CS17-045021-1305		<p>"H" definition</p>
LED	CXM-4-AC40		
LES / LED Size	Φ 4.5 mm		
FWHM (D50)	29°		
Field Angle (D10)	55°		
H (distance)	2.5mm		
Dimension	Φ =45 mm, Thickness=20.9 mm		
Luminous Flux	463 lm	Measured @ 4.0 W	
Material	PC / UL94V2		

cd/klm



Illuminance At Distances







Optical Characteristics

Model Number	CKO-CS17-045021-1305		<p>"H" definition</p> <p>LES CoB</p>
LED	CXM-6-AC40		
LES / LED Size	Φ 6.3 mm		
FWHM (D50)	34°		
Field Angle (D10)	60°		
H (distance)	2.5mm		
Dimension	Φ =45 mm, Thickness=20.9 mm		
Luminous Flux	752 lm	Measured @ 5.5 W	
Material	PC / UL94V2		

cd/klm



Illuminance At Distances







Optical Characteristics

Model Number	CKO-CS17-045021-1305		<p>"H" definition</p>
LED	CXM-9-AC30		
LES / LED Size	Φ 9.6 mm		
FWHM (D50)	40°		
Field Angle (D10)	70°		
H (distance)	2.5mm		
Dimension	Φ =45 mm, Thickness=20.9 mm		
Luminous Flux	1373 lm	Measured @ 12.1 W	
Material	PC / UL94V2		

cd/klm



Illuminance At Distances







Optical Characteristics

Model Number	CKO-CS17-045021-1305		<p>"H" definition</p>
LED	CXM-9-AC40		
LES / LED Size	Φ 9.8 mm		
FWHM (D50)	40°		
Field Angle (D10)	71°		
H (distance)	2.5mm		
Dimension	Φ =45 mm, Thickness=20.9 mm		
Luminous Flux	1359 lm	Measured @ 12.4 W	
Material	PC / UL94V2		

cd/klm



Illuminance At Distances






Optical Characteristics

Model Number	CKO-CS17-045021-1305		<p>"H" definition</p> <p>LES CoB</p>
LED	CXM-11-AC30		
LES / LED Size	Φ 11.7 mm		
FWHM (D50)	44°		
Field Angle (D10)	76°		
H (distance)	2.5mm		
Dimension	Φ =45 mm, Thickness=20.9 mm		
Luminous Flux	1638 lm	Measured @ 15.7 W	
Material	PC / UL94V2		

cd/klm



Illuminance At Distances

